




One piece Toilet
PRODUCT CATALOGUE









BC5001

Rated Voltage: 220-240v~, 50/60Hz
 Rated Power Consumption: 700w
 Water Temperature: 34 - 40oC
 Water Consumption: Full: 6l / Smart: 4.5l
 Hot Air Temperature: ~55oC
 Posterior Wash: Max 1.2l/Min
 Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm



BC5002

Rated Voltage: 220-240v~, 50/60Hz
 Rated Power Consumption: 680-800w
 Water Temperature: 34 - 40oC
 Water Consumption: Full: 6l / Smart: 4.5l
 Hot Air Temperature: ~55oC
 Posterior Wash: Max 1.2l/Min
 Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm



BC5003

Rated Voltage: 220-240v~, 50/60Hz
 Rated Power Consumption: 680-800w
 Water Temperature: 34 - 40oC
 Water Consumption: Full: 6l / Smart: 4.5l
 Hot Air Temperature: ~55oC
 Posterior Wash: Max 1.2l/Min
 Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm

Unit: ±5mm

ONE-PIECE TOILET

Great aesthetics. Good match for a contemporary bathroom design in every modern home.

Easy to clean and up keep.

No worry of water leaking out of the tank and flooding the floor.


More durable due to no joining part to maintain.






Soft Closing

Whisper Close - Slowly and quietly closes
Easy-Clean & Change hinge allows for removal of seat for easy cleaning and replacement.




BC3952

Flushing Method: Siphon Flushing
Trap way: S-trap
Seat: PP close soft seat
Minimum pit distance: 300mm
Dual Flush water: 3/6L




BC3979D

Flushing Method: Siphon Flushing
Trap way: S-trap
Seat: PP close soft seat
Minimum pit distance: 300mm
Dual Flush water: 3/6L




BC3981

Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC3881

Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC3884

Flushing Method: Siphon
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Flush water: 5L




BC3982

Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



BC3994


Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



BC8805


Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L

Unit: ±5mm




BC 8828

Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



BC8828-1

Flushing Method: Siphon flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC16017

Flushing Method: Siphon Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L

Unit: ±5mm

Cyclone Flushing






Unit: ±5mm

BC3973


Flushing Method: Cyclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



Unit: ±5mm

BC3985


Flushing Method: Syclone flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



Unit: ±5mm


BC3992

Flushing Method: Syclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC16023-1

Flushing Method: Syclone flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC18804

Flushing Method: Cyclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L




BC18810

Flushing Method: Syclone flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



BC8821


Flushing Method:Cyclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L



BC8848

Flushing Method:Cyclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L


Unit: ±5mm



BC16003-1

Flushing Method:Cyclone Flushing
 Trap way: S-trap
 Seat: PP close soft seat
 Minimum pit distance: 300mm
 Dual Flush water: 3/6L

Unit: ±5mm



Unit: ±5mm

BC3991

Flushing Method: Cyclone flushing

Trap way: S-trap

Seat: PP close soft seat

Minimum pit distance: 300mm

Dual Flush water: 3/6L

Zento - Cầu Giấy

Add: Số 44 Trần Kim Xuyên, Yên Hòa
Trung Hòa, Cầu Giấy, Hà Nội
Tel: 024.3775 7259 - 0913.223 113

Zento - Thanh Nhân

Add: Số 9A Thanh Nhân, Quỳnh Lôi
Hai Bà Trưng, Hà Nội
Tel: 024.6681 5656 - 0888 32 5656

Zento - Long Biên

Add: Số 37 Ngô Gia Tự, Đức Giang
Long Biên, Hà Nội
Tel: 024.6681 1919 - 081.235 1919

Zento - Hà Đông

Add: 218 - 220 Lê Trọng Tấn, La Khê
Hà Đông, Hà Nội
Tel: 024.3513 1515 - 081 225 1515

Zento - Q.7, HCM

Add: 159 Nguyễn Thị Thập, KDC Hím Lam
p. Tân Hưng, Quận 7, HCM
Tel: 0286 286 0033 - 0948 119 198

Zento - Bình Tân

Add: 569/2 Lê Trọng Tấn, Bình Hưng Hoà
Q. Bình Tân, Hồ Chí Minh
Tel: 0286 286 0033 - 08.1213 1515

Zento - Đà Nẵng

Add: Số 345 Điện Biên Phủ, Hòa Khê
Thanh Khê, Đà Nẵng
Tel: 023636 95959 - 0913.223 113